

UNIVERSITY  
of  
OTAGO



*Te Whare Wānanga o Otāgo*  
NEW ZEALAND

**Canterbury**

District Health Board

Te Poari Hauora o Waitaha



UNIVERSITY OF  
CANTERBURY

*Te Whare Wānanga o Waitaha*  
CHRISTCHURCH NEW ZEALAND

# Vestibular Paroxysmia: The Youtube Video

Jeremy Hornibrook, Department of  
Otolaryngology-Head and Neck Surgery

Martin MacFarlane, Department of Neurosurgery  
Christchurch Hospital, Christchurch, New Zealand

“Lies, damn lies and statistics” (Mark Twain/Benjamin Disraeli)

# Evaluation of vascular variations at cerebellopontine angle by 3D T2WI magnetic-resonance imaging in patients with vertigo

Fatma Beyazal Celiker<sup>a,\*</sup>, Engin Dursun<sup>b</sup>, Metin Celiker<sup>c</sup>, Tugba Durakoglugil<sup>a</sup>, Mehmet Beyazal<sup>a</sup>, Mehmet Fatih Inecikli<sup>a</sup>, Abdulkadir Ozgur<sup>b</sup> and Suat Terzi<sup>b</sup>

<sup>a</sup>Department of Radiology, Recep Tayyip Erdoğan University Faculty of Medicine, Rize, Turkey

<sup>b</sup>Department of Otorhinolaryngology, Recep Tayyip Erdoğan University Rize Training and Research Hospital, Rize, Turkey

<sup>c</sup>Department of Otorhinolaryngology, Recep Tayyip Erdoğan University Faculty of Medicine, Rize, Turkey

“417 patients (178 with vertigo and 239 without vertigo) under going MRI for various clinical causes...assessed to study the presence of **vascular anomalies** at the CPA”. Those admitted for “dizziness” who were **not** BPPV “were classified as having vertigo”. NO USEFUL CORRELATION WITH SYMPTOMS.

# Vestibular paroxysmia: Diagnostic criteria

Michael Strupp<sup>a,\*</sup>, Jose A. Lopez-Escamez<sup>b</sup>, Ji-Soo Kim<sup>c</sup>, Dominik Straumann<sup>d</sup>, Joanna C. Jen<sup>e</sup>, John Carey<sup>f</sup>,  
Alexandre Bisdorff<sup>g</sup> and Thomas Brandt<sup>a</sup>

<sup>a</sup>Department of Neurology and German Center for Vertigo and Balance Disorders, University Hospital Munich, University of Munich, Germany <sup>b</sup>Otology and Neurotology Group CTS495, Department of Genomic Medicine – Centre for Genomics and Oncology Research – Pfizer/Universidad de Granada/Junta de Andalucía (GENYO), PTS, Granada and Department of Otolaryngology, University Hospital Granada, Spain <sup>c</sup>Department of Neurology, Seoul National University College of Medicine, Seoul National University Bundang Hospital, South Korea <sup>d</sup>Department of Neurology, University Hospital Zurich, University of Zurich, Switzerland <sup>e</sup>Department of Neurology & Neurobiology, University of California, Los Angeles, CA, USA <sup>f</sup>Department of Otorhinolaryngology, Johns Hopkins University School of Medicine, Baltimore, USA <sup>g</sup>Department of Neurology, Centre Hospitalier Emile Mayrisch, Esch, Luxemburg



Symptoms from cranial nerve vascular compression can come and go


# VESTIBULAR PAROXYSMIA OR EIGHTH NERVE MICROVASCULAR COMPRESSION SYNDROME

---



*Jeremy Hornibrook*  
*Department of Otolaryngology-Head  
and Neck Surgery*

*Martin MacFarlane*  
*Department of Neurosurgery*  
*Christchurch Hospital, Christchurch,*  
*New Zealand*

*Henk Verhoef*  
*Voice Commentary*



## Last patient with MRI in the Video



Tone burst EcochG normal  
in both ears so NO  
EVIDENCE OF  
MENIERE'S DISEASE

Self-recording of the second patient in the video: **THE DIFFICULTIES!**

